

From: Doherty, Paul
To: [Roerman, Paul](#)
Subject: FW: Hydrogen Chloride Pre-CERCLA Screening Form
Date: Wednesday, April 12, 2017 9:01:00 AM
Attachments: [Hydrogen Chloride Pre-CERCLA Screening Form.pdf](#)

From: Bollinger, Karen [mailto:Karen.Bollinger@tetrattech.com]
Sent: Tuesday, April 11, 2017 2:59 PM
To: Doherty, Paul <Doherty.Paul@epa.gov>
Cc: 'lparman@seagullenvirotech.com' <lparman@seagullenvirotech.com>
Subject: Hydrogen Chloride Pre-CERCLA Screening Form

Mr. Doherty,

Please find attached the Hydrogen Pre-CERCLA Screening Form. The hard copy and CD will be sent this week.

Thanks,
Karen Bollinger

Karen Bollinger | Contract Administrator
415 Oak Street | Kansas City, Missouri 64106 | www.tetrattech.com
Direct: 816.412.1743 | Main: 816.412.1741 | Fax: 816.410.1748
karen.bollinger@tetrattech.com

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.